



UNIFIED FACILITIES CRITERIA INSTALLATION DESIGN

ARMY CORPS OF ENGINEERS (Preparing Activity)

NAVAL FACILITIES ENGINEERING COMMAND

AIR FORCE CIVIL ENGINEER SUPPORT AGENCY

**UNIFIED FACILITIES CRITERIA
CRITERIA FORMAT STANDARD**

Any copyrighted material included in this document is identified at its point of use.
Use of the copyrighted material apart from this document must have the permission of the
copyright holder.

Record of Changes (changes indicated \1\ ... /1/)
No. Date Location

**This document supersedes Tri-Service Technical Manual (TM), Army TM 5-803-5,
Navy P-960, Air Force AFM 88-43, "Installation Design", dated March 1, 1981.**

FOREWORD

The Unified Facility Criteria (UFC) system provides planning, design, construction, operations and maintenance criteria, and applies to all service commands having military construction responsibilities. UFC will be used for all service projects and work for other customers where appropriate.

UFC are living documents and will be periodically reviewed, updated, and made available to users as part of the Services' responsibility for providing technical criteria for military construction. USACE, NAVFAC, and AFCESA are responsible for administration of the UFC system. Technical content of UFC is the responsibility of the preparing tri-service committee. Recommended changes with supporting rationale should be sent to the respective service proponent office, as follows:

- HQUSACE, ATTN: CECW-E, 441 G Street, NW, Washington, DC 20314 or the [Recommended Changes To Engineering Documents](#) page on the TECHINFO site listed below.
- Commander, Atlantic Division, Naval Facilities Engineering Command, 1510 Gilbert Street (ATTN: Code 15), Norfolk, Virginia 23511-2699 or curfmanrd@efdlant.navfac.navy.mil.
- Air Force Civil Engineer Support Agency, 139 Barnes Drive, Tyndall Air Force Base, Florida 32403-5319 or larry.spangler@afcesa.af.mil.

UFC are effective upon issuance. UFC are distributed only in electronic media from the following sources:

- USACE TECHINFO Internet site <http://www.hnd.usace.army.mil/techinfo/index.htm>.
- NAVFAC Criteria Office Internet site http://www.efdlant.navfac.navy.mil/Laptops_15/home.htm.
- Construction Criteria Base (CCB) system maintained by the National Institute of Building Sciences at Internet site <http://www.nibs.org/ccb/>.

Hard copies of UFC documents printed from electronic media should be checked against the current electronic version prior to use to assure that they are current.

AUTHORIZED BY:

Dwight A. Beranek, P.E.
Chief, Engineering and Construction Division
Directorate of Civil Works
U.S. Army Corps of Engineers

Dr. Get Moy, P.E.
Chief Engineer and
Director of Planning and Engineering,
Naval Facilities Engineering Command

Michael Aimone, P.E.
Deputy Civil Engineer
Deputy Chief of Staff, Installations & Logistics
Department of the Air Force

Frank Lane,
Director of Analysis and Investment
Deputy Under Secretary of Defense,
Installations Department of Defense

TABLE OF CONTENTS

<u>TABLE OF CONTENTS</u>	iv
---------------------------------------	----

<u>LIST OF FIGURES</u>	vii
-------------------------------------	-----

<u>EXECUTIVE SUMMARY</u>	xii
---------------------------------------	-----

Paragraph	Title	Page
1	Introduction	xii
2	Audience	xii
3	The Installation Design Guide	xii
4	Installation Profile	xiii
5	Design Guide Analysis Criteria	xiii
6	Visual Survey, Zones and Themes	xiv
7	Assets Liabilities and Recommendations	xv

CHAPTER I INTRODUCTION

1-1	Introduction	1-1
1-2	Goal	1-1
1-3	Objectives	1-2
1-4	Audience	1-3
1-5	Organization	1-3

CHAPTER 2 INSTALLATION DESIGN GUIDE

2-1	Introduction	2-1
2-2	Purpose of the Design Guide.....	2-1
2-3	The Design Guide Process.....	2-2
2-4	Using the Design Guide.....	2-3

CHAPTER 3 INSTALLATION PROFILE

3-1	Introduction	3-1
3-2	Location	3-1
3-3	Mission	3-1
3-4	History.....	3-2
3-5	Natural, Cultural and Manmade Resources.....	3-2
3-6	Information Sources.....	3-2

CHAPTER 4 DESIGN GUIDE ANALYSIS CRITERIA

4-1	Introduction	4-1
4-2	Goals, Objectives and Recommendations.....	4-2
4-3	Identification and Classification of Visual Elements	4-3
4-4	Visual Elements	4-4
4-5	Design Principles	4-5

CHAPTER 5 VISUAL SURVEY, ZONES & THEMES

5-1	Introduction	5-1
5-2	Conducting the Windshield Survey.....	5-2
5-3	Identifying Visual Zones	5-2
5-4	Identifying Visuals Themes.....	5-3

CHAPTER 6 ASSETS, LIABILITIES & IMPLEMENTATION

6-1	Introduction	6-1
6-2	Visual Inventory	6-1
6-3	Visual Assets and Liabilities	6-2
6-4	Components of Asset and Liability Assessment.....	6-2
6-5	Functional Analysis.....	6-3
6-6	Visual Impressions Plan	6-4
6-7	Implementation Plan.....	6-4

CHAPTER 7 SITE PLANNING DESIGN COMPONENT

7-1	Introduction	7-1
7-2	Site Planning Objectives.....	7-1
7-3	Site Planning Considerations	7-2
7-4	Site Planning Design Criteria.....	7-3
7-5	Natural Conditions	7-4
7-6	Manmade Site Conditions.....	7-6
7-7	Site Planning Assets and Liabilities	7-7

CHAPTER 8 STRUCTURES DESIGN COMPONENT

8-1	Introduction	8-1
8-2	Structural Objectives.....	8-1
8-3	Structural Character.....	8-2
8-4	Indigenous Structure	8-4
8-5	Historic Architecture	8-4
8-6	Building Entrances.....	8-5
8-7	Building Accessibility	8-6
8-8	Renovations and Additions	8-6
8-9	Plazas and Courtyards	8-6
8-10	Building Maintenance	8-7
8-11	Architectural Assets and Liabilities	8-7

CHAPTER 9 CIRCULATION DESIGN COMPONENTS

9-1	Introduction	9-1
9-2	Circulation Objectives.....	9-1
9-3	Roadway Hierarchy	9-2
9-4	Roadway System Design.....	9-6
9-5	Intersections	9-8
9-6	Streetscape	9-9
9-7	Parking Requirements	9-10
9-8	Parking Lot Location and Design.....	9-11
9-9	Parking Lot Details	9-13
9-10	Service Areas	9-14
9-11	Drop-off Areas	9-14
9-12	Pedestrian Walkways	9-14
9-13	Design of Pedestrian Walkways	9-15
9-14	Location of Pedestrian Walkways.....	9-16
9-15	Bicycle Paths	9-17
9-16	Circulation Assets and Liabilities	9-18

CHAPTER 10 PLANT MATERIAL DESIGN COMPONENT

10-1	Introduction	10-1
10-2	Landscape Objectives	10-1
10-3	Principles of Landscape Development	10-2
10-4	Sustainable Landscape Development	10-4
10-5	Locations of Plant Material	10-5
10-6	Historic Trees	10-7
10-7	Maintenance of Plant Material	10-7
10-8	Protection and Preservation	10-8
10-9	Recommended Plant Material	10-8
10-10	Landscape Architectural Assets and Liabilities	10-9

CHAPTER 11 SITE ELEMENTS DESIGN COMPONENT

11-1	Introduction	11-1
11-2	Site Element Objectives.....	11-1
11-3	Site Furnishings	11-2
11-4	Signs.....	11-8
11-5	Lighting	11-10
11-6	Utilities	11-14
11-7	Site Element Assets and Liabilities	11-17

CHAPTER 12 FORCE PROTECTION DESIGN COMPONENT

12-1	Introduction	12-1
12-2	Security Recommendations	12-1

APPENDIX A REFERENCES.....

A-1

LIST OF FIGURES

Figure Title	Page
1. Visually Compatible Development	xii
2. Element of Visual Quality	xii
3. Manmade Visual Element	xii
4. Natural Visual Element.....	xii
5. Visual Inventory.....	xiii
6. Visual Asset	xiii
7. Visual Liability	xiii
8. Design Guide Process	xiv
9. Visual Goals and Objectives	xiv
10. Site Planning Organizes Visual Relationships	xv
11. Image is Result of Character & Siting of Buildings.....	xv
12. Furnishings are Site Elements	xv
13. Gate Provides Security	xv
14. Sidewalk is Visual Liability	xvi
15. Sidewalk is Visual Asset	xvi
16. Overhead Utilities are a Visual Liability.....	xvi
17. Underground Utilities are a Visual Asset.....	xvi
1.1 Visually Compatible Development	1-1
1.2 Visual Image	1-1
1.3 Landscape Complements Visual Image.....	1-1
1.4 Installation Design Objectives	1-2
1.5 Audience	1-3
2.1 Installation Design Guide	2-1
2.2 Purpose of the Design Guide	2-1
2.3 The Installation Design Process.....	2-2
2.4 Design Guide Checklist.....	2-3
2.5 Using the IDG.....	2-3
3.1 Regional Map	3-1
3.2 Installation Map	3-1
3.3 Climate Regions	3-1
3.4 Installation Profile Data	3-2
4.1 Manmade Visual Element	4-1
4.2 Natural Visual Element.....	4-1
4.3 The Goal Setting Process	4-2
4.4 Visual Goals & Objectives	4-2
4.5 From Goal to Implementation.....	4-3
4.6 Typical Design Goals	4-3
4.7 Natural Characteristics	4-4
4.8 Edges and Boundaries	4-4

4.9	Community	4-4
4.10	Activity Node	4-4
4.11	Preserve Historic Architecture	4-4
4.12	Entrances and Gates	4-5
4.13	Trees, Shrubs & Berms Provide Screening	4-5
4.14	Open Spaces	4-5
4.15	Architectural Scale	4-5
4.16	Parade Ground Provides Form & Function	4-5
4.17	Courtyard Has Color & Texture	4-6
4.18	Unity of Design	4-6
4.19	Framing of View	4-6
4.20	Parade Ground Axis with Building Terminus.....	4-6
4.21	Balanced Symmetrical Elements	4-6
5.1	The Visual Survey	5-1
5.2	Visual Zones Transcend Land Uses	5-2
5.3	Windshield Survey	5-2
5.4	Grid Plan	5-3
5.5	Superblock Layout	5-3
5.6	Beaux Arts Plan	5-3
5.7	Barracks	5-3
5.8	Community	5-4
5.9	Operations Support.....	5-4
5.10	Industrial.....	5-4
5.11	Recreational.....	5-4
6.1	Visual Zone Inventory Process	6-1
6.2	Visual Asset	6-2
6.3	Visual Liability	6-2
6.4	Visual Asset	6-2
6.5	Visual Liability	6-2
6.6	Site Elements	6-3
6.7	Security	6-3
6.8	Landscape Architecture	6-3
6.9	Visual Impressions Plan.....	6-4
6.10	Implementation Process.....	6-5
7.1	Site Plan.....	7-1
7.2	Blend Natural & Manmade Elements	7-1
7.3	Development in Natural Preserve	7-1
7.4	Plan to Preserve Natural Environment.....	7-2
7.5	Identify Natural Elements & Preserve	7-2
7.6	Development Fits the Environment	7-2
7.7	Identify Natural Elements & Preserve	7-3
7.8	Preserve Open Space	7-3
7.9	Preserve Existing Trees	7-3
7.10	Accommodate Natural Conditions.....	7-4
7.11	Develop Around Natural Landforms	7-4
7.12	Site Planning with Concern for Climatic Impacts	7-5
7.13	Locate Large Buildings on Flat Areas	7-6

7.14	Orient to Climatic Conditions.....	7-6
7.15	Orient Outdoor Areas for Comfortable Exposure	7-6
7.16	Roadway Blends with Environment.....	7-6
7.17	Minimize Visual Impacts of Parking Lots.....	7-7
7.18	Provide Comfortable Pedestrian Experience	7-7
7.19	Minimize Visual Impact of Utilities.....	7-7
8.1	Indigenous Architecture is an Asset.....	8-1
8.2	WW II Barracks are a Visual Liability	8-1
8.3	Preserved Historic Buildings are an Asset	8-1
8.4	Adapt Buildings to Site Conditions	8-2
8.5	Blend Old & New Structures	8-2
8.6	Use Indigenous Materials.....	8-2
8.7	Scale & Massing	8-3
8.8	Color & Texture	8-3
8.9	Indigenous Architecture	8-3
8.10	Building Fenestration	8-4
8.11	Preserve Historic Structure	8-4
8.12	Conservation	8-5
8.13	Renovation	8-5
8.14	Adaptive Reuse of Historic Building	8-5
8.15	Reconstruction	8-5
8.16	Restored Historic Entrance	8-6
8.17	Contemporary Building Entrance	8-6
8.18	Renovations & Additions	8-6
8.19	Plazas and Courtyards	8-6
8.20	Buildings Should be Maintained	8-7
8.21	Architectural Liability	8-7
8.22	Architectural Asset	8-7
9.1	Circulation Component.....	9-1
9.2	Separate Incompatible Traffic	9-1
9.3	Preserve the Environment/Provide Aesthetic Appeal.....	9-1
9.4	Vehicular/Pedestrian System	9-2
9.5	Channelization	9-2
9.6	Road Hierarchy	9-2
9.7	Boulevard	9-3
9.8	Primary Road Elevation	9-3
9.9	Secondary Street	9-3
9.10	Secondary Street Elevation.....	9-4
9.11	Tertiary Street	9-4
9.12	Tertiary Street Plan	9-4
9.13	Tertiary Street Elevation.....	9-4
9.14	Cul-de-Sac Elevation	9-5
9.15	Cul-de-Sac Plan	9-5
9.16	Rural Road	9-5
9.17	Positive Visual Experience	9-6
9.18	Plan Circulation Systems to Be Safe	9-6
9.19	Blend Circulation into Natural Landform	9-6
9.20	Circulation System Fits Topography	9-6

9.21	Road Alignment.....	9-7
9.22	Minimize Pollution Impacts.....	9-7

9.23	Landscape & Berms Provide Noise Screening	9-8
9.24	Intersection of Primary & Secondary Roads	9-8
9.25	Eliminate Through Traffic	9-8
9.26	Curvilinear Road	9-9
9.27	Design Streetscape to be Visually Pleasing.....	9-9
9.28	Existing Streetscape	9-9
9.29	Improved Streetscape	9-9
9.30	Streetscape Softened with Plants	9-10
9.31	Large Expanse of Parking Softened with Trees.....	9-10
9.32	Handicap Parking Plan.....	9-10
9.33	Handicap Parking.....	9-11
9.34	Provide Pedestrian Walkways.....	9-11
9.35	Most Parking Lots are Visual Liabilities.....	9-11
9.36	Avoid Parking Directly Adjacent to Building	9-12
9.37	Parking Relieved with Landscape	9-12
9.38	Parking Structures are Desirable but Expensive.....	9-12
9.39	Pedestrian & Parking Striping	9-13
9.40	Coordinated Lighting Adds Interest.....	9-13
9.41	Berms & Planting Screen Undesirable Views	9-13
9.42	Plants and Berms in Service Area Plan	9-14
9.43	Drop Off Area	9-14
9.44	Typical Sidewalk a Hazard to Pedestrians & Motorists.....	9-14
9.45	Curvilinear Sidewalk Adds Interest and Safety	9-14
9.46	Comfortable & Pleasant Walk	9-15
9.47	Primary Walkway	9-15
9.48	Secondary Walkway.....	9-15
9.49	Tertiary or Recreational Path	9-15
9.50	Troop Movement Plan.....	9-15
9.51	Location & Design of Sidewalks	9-16
9.52	Bikeway Hierarchy	9-17
9.53	Class III Bikeway.....	9-18
9.54	Safe, Visually Attractive Circulation is an Asset.....	9-18
10.1	Planting Softens Edges.....	10-1
10.2	Preserve & Enhance Open Spaces	10-1
10.3	Soften and Blend Built and Natural Environments	10-1
10.4	Principles of Landscape Design	10-2
10.5	Principles Illustrated	10-3
10.6	Design for Climatic Impacts	10-4
10.7	Erosion Control	10-5
10.8	Natural Forests.....	10-5
10.9	Urban Forest	10-5
10.10	Landscape Softens & Relates Building to Ground	10-6
10.11	Wall & Plants Screen Parking	10-6
10.12	Image is Formed by Visual Impressions	10-6
10.13	Circulation System Planting	10-7
10.14	Preserve Existing Vegetation	10-7
10.15	Use Native Plants.....	10-7
10.16	Discourage Unnatural Shaping of Trees	10-7

10.17	Barricades Protect Trees	10-8
10.18	Tree Barricade Detail	10-8
10.19	Plant Palette.....	10-8
10.20	Landscape Asset.....	10-9
10.21	Landscape Liability.....	10-9
11.1	Site Elements	11-1
11.2	Landscaped Roadway with Bollards & Pavers.....	11-2
11.3	Negative Visual Impact	11-2
11.4	Planted Screen Minimizes Visual Impact	11-2
11.5	Tot Lot.....	11-2
11.6	Statue as Visual Element	11-3
11.7	Planter Serves as Bench.....	11-3
11.8	Wood Deck with Planters, Trellis, Seating & Lighting	11-3
11.9	Retaining Wall	11-4
11.10	Screen Wall Hides Mechanical Equipment	11-4
11.11	Berm & Plants Hide Mechanical Equipment	11-4
11.12	Plants Provide Screening for Chain Link Fence.....	11-4
11.13	Trash Receptacle Types	11-5
11.14	Bollard Types	11-5
11.15	Recommended Bicycle Rack System	11-5
11.16	Use Recycled Materials in Playground Construction	11-6
11.17	Movable Planters	11-6
11.18	Trellis & Vines Provide Shelter.....	11-7
11.19	Signs Communicate Information	11-7
11.20	Viewing Distance.....	11-8
11.21	Signs Should Complement Surroundings	11-8
11.22	Regulatory Sign.....	11-9
11.23	Signs Should be Simple & Legible	11-9
11.24	Installation Design Guide Sign System	11-10
11.25	Outdoor Architectural Lighting.....	11-11
11.26	Pedestrian Commercial Fixture	11-11
11.27	Pedestrian Residential Fixture	11-11
11.28	Roadway & High Mast Special Purpose Lighting.....	11-12
11.29	High Mast Special Purpose Lighting	11-12
11.30	Parking Lot Lighting	11-12
11.31	Standard Lighting Height.....	11-13
11.32	Proper Illumination Provides Safety	11-13
11.33	Place Utilities Underground.....	11-14
11.34	Overhead Lines are Unsightly	11-14
11.35	Softens Impact of Overhead Lines.....	11-14
11.36	Screen Utilities to Reduce Negative Impacts	11-15
11.37	Screen Existing Utilities to Reduce Visual Impact.....	11-15
11.38	Screened Transformer	11-15
11.39	Treatment Plant Screened by Natural Vegetation.....	11-16
11.40	Water Tank as Landmark	11-16
11.41	Avoid Open Concrete Drains	11-17
12.1	Installation Security Gate	12-1
12.2	Trees Obscure Observation From Outside	12-1

12.3 Berms Provide Force Protection	12-1
END OF SECTION	